

\\GSC-HBG-FS07\Data\10000\10012\Sampling\2024\Monthly Surface Water Sampling\Surface Water Field Data Sheets - 2024

\\GSC-HBG-FS07\Data\10000\10012\Sampling\2024\Monthly Surface Water Sampling\Surface Water Field Data Sheets - 2024

\\GSC-HBG-FS07\Data\10000\10012\Sampling\2024\Monthly Surface Water Sampling\Surface Water Field Data Sheets - 2024

\\GSC-HBG-FS07\Data\10000\10012\Sampling\2024\Monthly Surface Water Sampling\Surface Water Field Data Sheets - 2024

| fYNOP Surface Water Sampling Field Data Sheet |               |                                                |                      |                 |           |             |                      |     |                                    |
|-----------------------------------------------|---------------|------------------------------------------------|----------------------|-----------------|-----------|-------------|----------------------|-----|------------------------------------|
| Date: 5/30/2024                               |               | Sampling Unit ID: 00641                        |                      |                 |           |             | Weather: Sunny, 70's |     |                                    |
| Sampler(s): LDG/CSL                           |               | Water Quality Instrument ID: Horiba U-52 83085 |                      |                 |           |             |                      |     |                                    |
| Location ID                                   | Sampling Time | Water Quality Parameters                       |                      |                 |           |             |                      |     | Comments                           |
|                                               |               | pH                                             | Conductivity (mS/cm) | Turbidity (NTU) | DO (mg/L) | Temperature | Sal.                 | ORP |                                    |
| SW-29                                         | 08:57         | 5.45                                           | 0.634                | 45.9            | 5.49      | 19.61       | 0.3                  | 319 |                                    |
| SW-8                                          | 09:12         | 6.82                                           | 0.593                | 11.3            | 6.00      | 19.22       | 0.3                  | 331 |                                    |
| SW-13                                         | 09:30         | 7.32                                           | 0.575                | 138.0           | 5.67      | 19.87       | 0.3                  | 309 |                                    |
| SW-16                                         | 09:50         | 7.34                                           | 0.578                | 8.3             | 6.11      | 19.51       | 0.3                  | 321 |                                    |
| SW-17                                         | 10:00         | 7.25                                           | 0.719                | 45.1            | 2.30      | 18.62       | 0.4                  | 333 | Duplicate Collected "HD-QC1-0/1-1" |
| SW-6                                          | 10:19         | 7.78                                           | 0.533                | 3.3             | 6.20      | 19.10       | 0.3                  | 302 |                                    |
| SW-26                                         | 10:45         | 7.68                                           | 0.643                | 9.7             | 3.26      | 21.27       | 0.4                  | 315 |                                    |
| SW-7                                          | 11:07         | 7.85                                           | 0.583                | 56.5            | 6.51      | 20.40       | 0.3                  | 303 |                                    |
| SW-27                                         | 11:19         | 7.99                                           | 0.589                | 8.3             | 6.64      | 21.85       | 0.3                  | 305 |                                    |
| SW-15                                         | 11:30         | 7.64                                           | 0.897                | 0               | 1.05      | 16.28       | 0.4                  | 325 | MS/MSD Collected                   |
| SW-9                                          | 12:34         | 8.18                                           | 0.716                | 25.8            | 7.20      | 23.15       | 0.3                  | 291 |                                    |
| SW-28                                         | 12:55         | 8.23                                           | 0.729                | 123.0           | 6.72      | 22.68       | 0.4                  | 297 |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                |                      |                 |           |             |                      |     |                                    |

USGS 01575500 Codorus Creek near York, PA. Gauge Hight (FEET)

2.6

USGS 01575500 Codorus Creek near York, PA. Discharge (CFS)

162

West Parking Lot Groundwater Extraction System Pump Rate (GPM)

NA

\\GSC-HBG-FS07\Data\10000\10012\Sampling\2024\Monthly Surface Water Sampling\Surface Water Field Data Sheets - 2024

\\GSC-HBG-FS07\Data\10000\10012\Sampling\2024\Monthly Surface Water Sampling\Surface Water Field Data Sheets - 2024

| fYNOP Surface Water Sampling Field Data Sheet |               |                                                 |                      |                 |           |             |                                                   |     |                                    |
|-----------------------------------------------|---------------|-------------------------------------------------|----------------------|-----------------|-----------|-------------|---------------------------------------------------|-----|------------------------------------|
| Date: 8/20/2024                               |               | Sampling Unit ID: 00641                         |                      |                 |           |             | Weather: Mostly Cloudy, 60's deg. F, Strong Winds |     |                                    |
| Sampler(s): LDG/CSL                           |               | Water Quality Instrument ID: Horiba EES # 83086 |                      |                 |           |             |                                                   |     |                                    |
| Location ID                                   | Sampling Time | Water Quality Parameters                        |                      |                 |           |             |                                                   |     | Comments                           |
|                                               |               | pH                                              | Conductivity (mS/cm) | Turbidity (NTU) | DO (mg/L) | Temperature | Sal.                                              | ORP |                                    |
| SW-29                                         | 0900          | 7.65                                            | 0.690                | 43.0            | 5.60      | 19.93       | 0.3                                               | 250 |                                    |
| SW-8                                          | 0915          | 7.69                                            | 0.688                | 27.0            | 6.53      | 18.75       | 0.3                                               | 281 |                                    |
| SW-13                                         | 0938          | 7.76                                            | 0.659                | 47.8            | 6.48      | 19.98       | 0.3                                               | 299 |                                    |
| SW-16                                         | 1000          | 7.71                                            | 0.664                | 53.1            | 8.88      | 19.55       | 0.3                                               | 263 |                                    |
| SW-17                                         | 1015          | 7.40                                            | 0.74                 | 371             | 0.77      | 18.08       | 0.4                                               | 278 | Duplicate Collected "HD-QC1-0/1-1" |
| SW-6                                          | 1040          | 7.86                                            | 0.478                | 16.9            | 8.08      | 19.33       | 0.2                                               | 271 |                                    |
| SW-26                                         | 1102          | 7.35                                            | 0.830                | 24.8            | 4.65      | 16.72       | 0.4                                               | 312 |                                    |
| SW-7                                          | 1123          | 7.68                                            | 0.701                | 47.6            | 7.67      | 21.08       | 0.3                                               | 288 |                                    |
| SW-27                                         | 1137          | 7.86                                            | 0.687                | 48.9            | 10.99     | 22.65       | 0.3                                               | 284 |                                    |
| SW-15                                         | 1150          | 7.62                                            | 0.645                | 78.7            | 1.14      | 21.80       | 0.3                                               | 181 | MS/MSD Collected                   |
| SW-9                                          | 1253          | 7.87                                            | 0.725                | 51.8            | 9.49      | 22.62       | 0.4                                               | 298 |                                    |
| SW-28                                         | 1305          | 7.82                                            | 0.724                | 82.1            | 6.54      | 22.61       | 0.4                                               | 258 |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                   |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                   |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                   |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                   |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                   |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                   |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                   |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                   |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                   |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                   |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                   |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                   |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                   |     |                                    |

USGS 01575500 Codorus Creek near York, PA. Gauge Hight (FEET)

2.1

USGS 01575500 Codorus Creek near York, PA. Discharge (CFS)

62.1

West Parking Lot Groundwater Extraction System Pump Rate (GPM)

NA

| fYNOP Surface Water Sampling Field Data Sheet |               |                                                 |                      |                 |           |             |                                            |     |                                    |
|-----------------------------------------------|---------------|-------------------------------------------------|----------------------|-----------------|-----------|-------------|--------------------------------------------|-----|------------------------------------|
| Date: 9/23/2024                               |               | Sampling Unit ID: 00641                         |                      |                 |           |             | Weather: Cloudy, 60's deg. F, steady rain. |     |                                    |
| Sampler(s): LDG/CSL                           |               | Water Quality Instrument ID: Horiba EES # 83086 |                      |                 |           |             |                                            |     |                                    |
| Location ID                                   | Sampling Time | Water Quality Parameters                        |                      |                 |           |             |                                            |     | Comments                           |
|                                               |               | pH                                              | Conductivity (mS/cm) | Turbidity (NTU) | DO (mg/L) | Temperature | Sal.                                       | ORP |                                    |
| SW-29                                         | 1025          | 6.27                                            | 0.397                | 97.5            | 5.87      | 19.04       | 0.2                                        | 227 |                                    |
| SW-8                                          | 1040          | 6.85                                            | 0.355                | 47.6            | 5.52      | 18.82       | 0.2                                        | 226 |                                    |
| SW-13                                         | 1058          | 7.17                                            | 0.351                | 34.4            | 6.29      | 18.74       | 0.2                                        | 231 |                                    |
| SW-16                                         | 1120          | 7.31                                            | 0.359                | 40.2            | 5.82      | 17.26       | 0.2                                        | 232 |                                    |
| SW-17                                         | 1130          | 7.12                                            | 0.52                 | 133             | 2.27      | 17.08       | 0.2                                        | 249 | Duplicate Collected "HD-QC1-0/1-1" |
| SW-6                                          | 1150          | 7.57                                            | 0.447                | 14.8            | 5.95      | 18.08       | 0.2                                        | 235 |                                    |
| SW-26                                         | 1215          | 7.43                                            | 0.913                | 12.5            | 2.79      | 16.23       | 0.4                                        | 239 |                                    |
| SW-7                                          | 1235          | 7.56                                            | 0.362                | 33.9            | 5.32      | 18.10       | 0.2                                        | 234 |                                    |
| SW-27                                         | 1247          | 7.60                                            | 0.406                | 26.1            | 6.07      | 17.92       | 0.2                                        | 243 |                                    |
| SW-15                                         | 1300          | 7.44                                            | 0.870                | 7.5             | 0.82      | 14.67       | 0.4                                        | 210 | MS/MSD Collected                   |
| SW-9                                          | 1415          | 7.94                                            | 0.644                | 41.7            | 7.24      | 19.19       | 0.3                                        | 223 |                                    |
| SW-28                                         | 1430          | 8.07                                            | 0.601                | 24.3            | 5.66      | 19.57       | 0.3                                        | 226 |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                            |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                            |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                            |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                            |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                            |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                            |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                            |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                            |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                            |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                            |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                            |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                            |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                            |     |                                    |

USGS 01575500 Codorus Creek near York, PA. Gauge Hight (FEET)

2.3

USGS 01575500 Codorus Creek near York, PA. Discharge (CFS)

87.9

West Parking Lot Groundwater Extraction System Pump Rate (GPM)

NA

| fYNOP Surface Water Sampling Field Data Sheet |               |                                                 |                      |                 |           |             |                      |     |                                    |
|-----------------------------------------------|---------------|-------------------------------------------------|----------------------|-----------------|-----------|-------------|----------------------|-----|------------------------------------|
| Date: 10/18/24                                |               | Sampling Unit ID: 00641                         |                      |                 |           |             | Weather: Sunny, 40's |     |                                    |
| Sampler(s): LDG/CSL                           |               | Water Quality Instrument ID: Horiba EES # 82909 |                      |                 |           |             |                      |     |                                    |
| Location ID                                   | Sampling Time | Water Quality Parameters                        |                      |                 |           |             |                      |     | Comments                           |
|                                               |               | pH                                              | Conductivity (mS/cm) | Turbidity (NTU) | DO (mg/L) | Temperature | Sal.                 | ORP |                                    |
| SW-29                                         | 08:40         | 5.85                                            | 0.969                | 4.4             | 6.51      | 9.93        | 0.5                  | 311 |                                    |
| SW-8                                          | 08:55         | 6.58                                            | 0.920                | 3.7             | 8.73      | 3.70        | 0.4                  | 332 |                                    |
| SW-13                                         | 09:10         | 6.73                                            | 0.916                | 11.5            | 6.13      | 9.64        | 0.4                  | 331 |                                    |
| SW-16                                         | 09:28         | 7.23                                            | 0.919                | 3.8             | 6.21      | 9.7         | 0.4                  | 317 |                                    |
| SW-17                                         | 09:40         | 7.37                                            | 0.95                 | 65.7            | 0.40      | 12.51       | 0.5                  | 315 | Duplicate Collected "HD-QC1-0/1-1" |
| SW-6                                          | 10:00         | 7.38                                            | 0.857                | 9.7             | 6.75      | 10.72       | 0.4                  | 305 |                                    |
| SW-26                                         | 10:27         | 7.65                                            | 1.060                | 247             | 1.97      | 14.20       | 0.5                  | 262 |                                    |
| SW-7                                          | 10:47         | 7.55                                            | 0.921                | 29.3            | 6.36      | 12.22       | 0.4                  | 245 |                                    |
| SW-27                                         | 11:00         | 8.04                                            | 0.838                | 26.5            | 8.96      | 15.32       | 0.4                  | 239 |                                    |
| SW-15                                         | 11:10         | 8.52                                            | 0.891                | 8.3             | 1.31      | 15.03       | 0.4                  | 241 | MS/MSD Collected                   |
| SW-9                                          | 12:10         | 8.44                                            | 0.877                | 5.7             | 6.22      | 18.68       | 0.4                  | 241 |                                    |
| SW-28                                         | 12:20         | 8.57                                            | 0.927                | 2.5             | 6.79      | 16.81       | 0.5                  | 238 |                                    |
|                                               |               |                                                 |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                      |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                      |     |                                    |

USGS 01575500 Codorus Creek near York, PA. Gauge Hight (FEET)

2.1

USGS 01575500 Codorus Creek near York, PA. Discharge (CFS)

64

West Parking Lot Groundwater Extraction System Pump Rate (GPM)

NA

| fYNOP Surface Water Sampling Field Data Sheet |               |                                                 |                      |                 |           |             |                       |     |                                    |
|-----------------------------------------------|---------------|-------------------------------------------------|----------------------|-----------------|-----------|-------------|-----------------------|-----|------------------------------------|
| Date: 11/25/24                                |               | Sampling Unit ID: 00641                         |                      |                 |           |             | Weather: Cloudy, 30's |     |                                    |
| Sampler(s): LDG/CSL                           |               | Water Quality Instrument ID: Horiba EES # 82417 |                      |                 |           |             |                       |     |                                    |
| Location ID                                   | Sampling Time | Water Quality Parameters                        |                      |                 |           |             |                       |     | Comments                           |
|                                               |               | pH                                              | Conductivity (mS/cm) | Turbidity (NTU) | DO (mg/L) | Temperature | Sal.                  | ORP |                                    |
| SW-29                                         | 09:10         | 8.02                                            | 0.780                | 16.8            | 10.58     | 12.13       | 0.4                   | 145 |                                    |
| SW-8                                          | 09:27         | 8.04                                            | 0.821                | 9.5             | 9.68      | 8.28        | 0.4                   | 151 |                                    |
| SW-13                                         | 09:40         | 7.97                                            | 0.836                | 10.5            | 9.74      | 8.10        | 0.4                   | 153 |                                    |
| SW-16                                         | 10:00         | 8.00                                            | 0.822                | 9.2             | 9.13      | 8.41        | 0.4                   | 158 |                                    |
| SW-17                                         | 10:15         | 7.22                                            | 0.83                 | 28.4            | 1.23      | 12.35       | 0.4                   | 167 | Duplicate Collected "HD-QC1-0/1-1" |
| SW-6                                          | 10:35         | 8.06                                            | 0.658                | 7.7             | 10.91     | 8.28        | 0.3                   | 156 |                                    |
| SW-26                                         | 11:00         | 7.20                                            | 0.884                | 94.9            | 4.75      | 13.81       | 0.4                   | 172 |                                    |
| SW-7                                          | 11:15         | 7.98                                            | 0.851                | 13.1            | 9.80      | 9.59        | 0.4                   | 159 |                                    |
| SW-27                                         | 11:29         | 8.16                                            | 0.826                | 10.9            | 11.33     | 12.61       | 0.4                   | 146 |                                    |
| SW-15                                         | 11:37         | 7.58                                            | 0.742                | 29.7            | 3.39      | 13.64       | 0.4                   | 155 | MS/MSD Collected                   |
| SW-9                                          | 12:29         | 7.95                                            | 0.758                | 20.8            | 11.01     | 12.33       | 0.4                   | 153 |                                    |
| SW-28                                         | 12:40         | 8.07                                            | 0.774                | 13.3            | 9.76      | 12.76       | 0.4                   | 152 |                                    |
|                                               |               |                                                 |                      |                 |           |             |                       |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                       |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                       |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                       |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                       |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                       |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                       |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                       |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                       |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                       |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                       |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                       |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                       |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                       |     |                                    |

USGS 01575500 Codorus Creek near York, PA. Gauge Hight (FEET)

2.1

USGS 01575500 Codorus Creek near York, PA. Discharge (CFS)

62.9

West Parking Lot Groundwater Extraction System Pump Rate (GPM)

NA

| fYNOP Surface Water Sampling Field Data Sheet |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |
|-----------------------------------------------|---------------|-------------------------------------------------|----------------------|-----------------|-----------|-------------|--------------------------------------------------------------------------|-----|------------------------------------|
| Date: 12/18/24                                |               | Sampling Unit ID: 00641                         |                      |                 |           |             | Weather: Mostly Sunny, high around 32, becoming cloudy in the afternoon. |     |                                    |
| Sampler(s): SRM/CSL                           |               | Water Quality Instrument ID: Horiba EES # 82909 |                      |                 |           |             |                                                                          |     |                                    |
| Location ID                                   | Sampling Time | Water Quality Parameters                        |                      |                 |           |             |                                                                          |     | Comments                           |
|                                               |               | pH                                              | Conductivity (mS/cm) | Turbidity (NTU) | DO (mg/L) | Temperature | Sal.                                                                     | ORP |                                    |
| SW-29                                         | 08:40         | 5.45                                            | 0.774                | 9.6             | 13.48     | 5.97        | 0.4                                                                      | 310 |                                    |
| SW-8                                          | 08:50         | 6.05                                            | 0.720                | 6.1             | 12.58     | 7.12        | 0.3                                                                      | 298 |                                    |
| SW-13                                         | 09:00         | 6.48                                            | 0.739                | 4.7             | 11.03     | 5.92        | 0.4                                                                      | 284 |                                    |
| SW-16                                         | 09:20         | 6.84                                            | 0.758                | 14.1            | 12.83     | 5.62        | 0.4                                                                      | 272 |                                    |
| SW-17                                         | 09:35         | 6.84                                            | 1.06                 | 53.3            | 2.14      | 10.50       | 0.5                                                                      | 170 | Duplicate Collected "HD-QC1-0/1-1" |
| SW-6                                          | 10:00         | 7.31                                            | 0.713                | 17.1            | 14.00     | 5.90        | 0.3                                                                      | 188 |                                    |
| SW-26                                         | 10:55         | 7.17                                            | 1.07                 | 20.8            | 2.23      | 13.57       | 0.5                                                                      | 215 |                                    |
| SW-7                                          | 11:15         | 7.35                                            | 0.748                | 8.6             | 15.74     | 8.97        | 0.4                                                                      | 206 |                                    |
| SW-27                                         | 11:25         | 7.56                                            | 0.781                | 3.2             | 11.54     | 9.70        | 0.4                                                                      | 206 |                                    |
| SW-15                                         | 11:30         | 7.43                                            | 0.988                | 1.9             | 1.05      | 11.17       | 0.5                                                                      | 212 | MS/MSD Collected                   |
| SW-9                                          | 12:15         | 7.56                                            | 0.819                | 15.2            | 8.60      | 12.03       | 0.4                                                                      | 213 |                                    |
| SW-28                                         | 12:30         | 7.73                                            | 0.844                | 9.1             | 9.48      | 10.74       | 0.4                                                                      | 212 |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |
|                                               |               |                                                 |                      |                 |           |             |                                                                          |     |                                    |

USGS 01575500 Codorus Creek near York, PA. Gauge Hight (FEET)

2.2

USGS 01575500 Codorus Creek near York, PA. Discharge (CFS)

83.6

West Parking Lot Groundwater Extraction System Pump Rate (GPM)

NA