

Sample Login Acknowledgement

Job 180-42353-1

Client Job Description:	Harley Davidson	Report To:	Groundwater Sciences Corporation
Purchase Order #:	Purchase Order not required		Jennifer Reese
Work Order #:			2601 Market Place Street, Suite 310
Project Manager:	Carrie L Gamber		Harrisburg, PA 17110-9307
Job Due Date:	4/8/2015		
Job TAT:	10 Days		
Max Deliverable Level:	IV	Bill To:	York Facility Remediation Trust Fund
			Ralph Golia
Earliest Deliverable Due:	4/8/2015		AMO Environmental Decisions, Inc.
			4327 Point Pleasant Pike
			PO BOX 410
			Danboro, PA 18916

Login 180-42353

Sample Receipt:	3/25/2015 9:30:00 AM	Number of Coolers:	2
Method of Delivery:	FedEx Std Overnight	Cooler Temperature(s) (C°):	1.2; 2.1;

Lab Sample #	Client Sample ID	Date Sampled	Matrix	Rpt Basis	Dry / Wet **
Method	Method Description / Work Location				
180-42353-1	HD-COD-SW-6-0/1-0	3/24/2015 10:40:00 AM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-2	HD-COD-SW-7-0/1-0	3/24/2015 12:05:00 PM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-3	HD-COD-SW-8-0/1-0	3/24/2015 9:10:00 AM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-4	HD-COD-SW-9-0/1-0	3/24/2015 12:20:00 PM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-5	HD-COD-SW-10-0/1-0	3/24/2015 9:41:00 AM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-6	HD-COD-SW-11-0/1-0	3/24/2015 1:15:00 PM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-7	HD-COD-SW-12-0/1-0	3/24/2015 1:25:00 PM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-8	HD-COD-SW-13-0/1-0	3/24/2015 9:32:00 AM	Water		
2320B	Alkalinity / In-Lab			Total	Wet

* Method on-hold

** Wet/Dry indicates whether the reported results will be corrected for moisture content, and based on sample Wet weight or Dry weight.

Sample Login Acknowledgement

Lab Sample #	Client Sample ID	Date Sampled	Matrix		
Method	Method Description / Work Location			Rpt Basis	Dry / Wet **
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-9	HD-COD-SW-15-0/1-0	3/24/2015 1:45:00 PM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-10	HD-COD-SW-16-0/1-0	3/24/2015 10:05:00 AM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-11	HD-COD-SW-17-0/1-0	3/24/2015 10:15:00 AM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-12	HD-COD-SW-20-0/1-0	3/24/2015 10:50:00 AM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-13	HD-COD-SW-26-0/1-0	3/24/2015 11:45:00 AM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-14	HD-COD-SW-27-0/1-0	3/24/2015 1:55:00 PM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-15	HD-COD-SW-28-0/1-0	3/24/2015 1:00:00 PM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-16	HD-COD-SW-29-0/1-0	3/24/2015 9:00:00 AM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-17	HD-QC1-0/1-2	3/24/2015 12:00:00 PM	Water		
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-18	HD-QC2-0/1-2	3/24/2015 12:01:00 PM	Water		
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-19	HD-QC1-0/1-1	3/24/2015 8:00:00 AM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-20	HD-MW-99S-0/1-0	3/24/2015 9:15:00 AM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet

* Method on-hold

** Wet/Dry indicates whether the reported results will be corrected for moisture content, and based on sample Wet weight or Dry weight.

Sample Login Acknowledgement

Lab Sample #	Client Sample ID	Date Sampled	Matrix		
Method	Method Description / Work Location			Rpt Basis	Dry / Wet **
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-20 DU	HD-MW-99S-0/1-0	3/24/2015 9:15:00 AM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
180-42353-20 MS	HD-MW-99S-0/1-0	3/24/2015 9:15:00 AM	Water		
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-20 MSD	HD-MW-99S-0/1-0	3/24/2015 9:15:00 AM	Water		
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-21	HD-MW-99D-0/1-0	3/24/2015 1:05:00 PM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-22	HD-MW-145A-0/1-0	3/24/2015 10:20:00 AM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-23	HD-MW-100S-0/1-0	3/24/2015 2:45:00 PM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-24	HD-MW-100I-0/1-0	3/24/2015 2:00:00 PM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-25	HD-MW-93S-0/1-0	3/24/2015 2:35:00 PM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
180-42353-26	HD-MW-93D-0/1-0	3/24/2015 11:22:00 AM	Water		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet

* Method on-hold

** Wet/Dry indicates whether the reported results will be corrected for moisture content, and based on sample Wet weight or Dry weight.