

TestAmerica Pittsburgh
 301 Alpha Drive
 Pittsburgh, PA 15238
 phone 412.963.7058 fax 412.963.2470

Chain of Custody Record

TestAmerica
 THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Client Contact
 Groundwater Sciences Corporation
 2601 Market Place St. Suite 310
 Harrisburg, PA 17110
 (717) 901-8180 Phone
 (717) 657-1611 FAX


Project Manager: Jennifer S. Reese
 Tel/Fax: 717-901-8181 / (717) 657-1611

Site Contact: Jennifer S. Reese
 Lab Contact: Carrie Gamber

Analysis Turnaround Time
 Calendar (C) or Work Days (W)
 TAT if different from Below: Standard
 2 weeks
 1 week
 5 days
 1 day

Project Name: Start Up Sampling Event #1
 Site: Harley-Davidson, York PA
 Quote # 18000557

Date Submitted: 3/25/2015
 Carrier: FEDEX
 Job No: 10012160005
 Container No. _____
 DG No. _____





Barcode:  180-42391 Chain of Custody

| Sample Identification | Sample Date | Sample Time | Sample Type | Matrix | # of Cont. | Sample Specific Notes: | |
|-----------------------|-------------|-------------|-------------|--------|------------|---|---------------------------------------|
| | | | | | | Alkalinity (Carb/Bicarb), SO ₄ , CL, NO ₃ | Total Na, Ca, K, and Mg (SW846 6020A) |
| HD-QC3-0/1-2 | 3/25/15 | 12:00 | Trip Blank | Water | 2 | X | |
| HD-CW-9-0/1-0 | 3/25/15 | 6:00 | Groundwater | Water | 5 | X | |
| HD-CW-13-0/1-0 | 3/25/15 | 6:15 | Groundwater | Water | 5 | X | |
| HD-CW-15A-0/1-0 | 3/25/15 | 5:55 | Groundwater | Water | 5 | X | |
| HD-CW-17-0/1-0 | 3/25/15 | 6:20 | Groundwater | Water | 5 | X | |
| HD-CW-20-0/1-0 | 3/25/15 | 6:10 | Groundwater | Water | 5 | X | |
| HD-MW-100D-0/1-0 | 3/25/15 | 9:00 | Groundwater | Water | 5 | X | |
| HD-MW-147A-0/1-0 | 3/25/15 | 10:10 | Groundwater | Water | 5 | X | |
| HD-MW-75S-0/1-0 | 3/25/15 | 14:37 | Groundwater | Water | 5 | X | |
| HD-MW-37D-0/1-0 | 3/25/15 | 13:02 | Groundwater | Water | 5 | X | |
| HD-MW-37S-0/1-0 | 3/25/15 | 11:12 | Groundwater | Water | 5 | X | |
| HD-MW-95-0/1-0 | 3/25/15 | 15:20 | Groundwater | Water | 5 | X | |
| HD-MW-7-0/1-0 | 3/25/15 | 14:30 | Groundwater | Water | 5 | X | |

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Uplifted

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab At For Months

Special Instructions/QC Requirements & Comments: CLP Like Deliverables

Relinquished by:  Company: GSC
 Date/Time: 3/25/15 15:15
 Received by:  Company: T.A.
 Date/Time: 3/25/15 17:25
 Relinquished by:  Company: TAP
 Date/Time: 3/26/15 9:10
 Received by:  Company: TAP
 Date/Time: 3/26/15 15:45