

## Sample Login Acknowledgement

## Job 180-44321-1

<b>Client Job Description:</b>	Harley Davidson	<b>Report To:</b>	Groundwater Sciences Corporation
<b>Purchase Order #:</b>	Purchase Order not required		Jennifer Reese
<b>Work Order #:</b>			2601 Market Place Street, Suite 310
<b>Project Manager:</b>	Carrie L Gamber		Harrisburg, PA 17110-9307
<b>Job Due Date:</b>	6/5/2015		
<b>Job TAT:</b>	10 Days		
<b>Max Deliverable Level:</b>	IV	<b>Bill To:</b>	York Facility Remediation Trust Fund
			Ralph Golia
<b>Earliest Deliverable Due:</b>	6/5/2015		AMO Environmental Decisions, Inc.
			4327 Point Pleasant Pike
			PO BOX 410
			Danboro, PA 18916

## Login 180-44321

<b>Sample Receipt:</b>	5/21/2015 9:00:00 AM	<b>Number of Coolers:</b>	3
<b>Method of Delivery:</b>	FedEx Std Overnight	<b>Cooler Temperature(s) (C°):</b>	5.1; 3.6; 3.6;

Lab Sample # Method	Client Sample ID Method Description / Work Location	Date Sampled	Matrix	Rpt Basis	Dry / Wet **
<b>180-44321-1</b>	<b>HD-COD-SW-6-0/1-0</b>	<b>5/20/2015 10:45:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-2</b>	<b>HD-COD-SW-7-0/1-0</b>	<b>5/20/2015 1:35:00 PM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-3</b>	<b>HD-COD-SW-8-0/1-0</b>	<b>5/20/2015 9:10:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-4</b>	<b>HD-COD-SW-9-0/1-0</b>	<b>5/20/2015 11:50:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-5</b>	<b>HD-COD-SW-10-0/1-0</b>	<b>5/20/2015 9:45:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-6</b>	<b>HD-COD-SW-11-0/1-0</b>	<b>5/20/2015 12:15:00 PM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-7</b>	<b>HD-COD-SW-12-0/1-0</b>	<b>5/20/2015 12:30:00 PM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-8</b>	<b>HD-COD-SW-13-0/1-0</b>	<b>5/20/2015 9:35:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet

\* Method on-hold

\*\* Wet/Dry indicates whether the reported results will be corrected for moisture content, and based on sample Wet weight or Dry weight.

# Sample Login Acknowledgement

Lab Sample #	Client Sample ID	Date Sampled	Matrix		
Method	Method Description / Work Location			Rpt Basis	Dry / Wet **
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-9</b>	<b>HD-COD-SW-15-0/1-0</b>	<b>5/20/2015 12:40:00 PM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-10</b>	<b>HD-COD-SW-16-0/1-0</b>	<b>5/20/2015 10:10:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-11</b>	<b>HD-COD-SW-17-0/1-0</b>	<b>5/20/2015 10:25:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-12</b>	<b>HD-COD-SW-20-0/1-0</b>	<b>5/20/2015 10:50:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-13</b>	<b>HD-COD-SW-26-0/1-0</b>	<b>5/20/2015 1:15:00 PM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-14</b>	<b>HD-COD-SW-27-0/1-0</b>	<b>5/20/2015 12:50:00 PM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-15</b>	<b>HD-COD-SW-28-0/1-0</b>	<b>5/20/2015 12:05:00 PM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-16</b>	<b>HD-COD-SW-29-0/1-0</b>	<b>5/20/2015 8:47:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-17</b>	<b>HD-QC3-0/1-2</b>	<b>5/20/2015 12:00:00 PM</b>	<b>Water</b>		
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-18</b>	<b>HD-QC2-0/1-1</b>	<b>5/20/2015 8:00:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-19</b>	<b>HD-CW-9-0/1-0</b>	<b>5/20/2015 10:10:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet

\* Method on-hold

\*\* Wet/Dry indicates whether the reported results will be corrected for moisture content, and based on sample Wet weight or Dry weight.

# Sample Login Acknowledgement

Lab Sample # Method	Client Sample ID Method Description / Work Location	Date Sampled	Matrix	Rpt Basis	Dry / Wet **
<b>180-44321-20</b>	<b>HD-CW-13-0/1-0</b>	<b>5/20/2015 10:15:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-21</b>	<b>HD-CW-15A-0/1-0</b>	<b>5/20/2015 10:25:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-22</b>	<b>HD-CW-17-0/1-0</b>	<b>5/20/2015 10:35:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-23</b>	<b>HD-CW-20-0/1-0</b>	<b>5/20/2015 10:45:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-24</b>	<b>HD-MW-95-0/1-0</b>	<b>5/20/2015 9:25:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-24 DU</b>	<b>HD-MW-95-0/1-0</b>	<b>5/20/2015 9:25:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
<b>180-44321-24 MS</b>	<b>HD-MW-95-0/1-0</b>	<b>5/20/2015 9:25:00 AM</b>	<b>Water</b>		
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-24 MSD</b>	<b>HD-MW-95-0/1-0</b>	<b>5/20/2015 9:25:00 AM</b>	<b>Water</b>		
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-25</b>	<b>HD-MW-96S-0/1-0</b>	<b>5/20/2015 11:30:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-26</b>	<b>HD-MW-96D-0/1-0</b>	<b>5/20/2015 10:50:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-27</b>	<b>HD-MW-97-0/1-0</b>	<b>5/20/2015 12:50:00 PM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-28</b>	<b>HD-CW-18-0/1-0</b>	<b>5/20/2015 2:00:00 PM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet

\* Method on-hold

\*\* Wet/Dry indicates whether the reported results will be corrected for moisture content, and based on sample Wet weight or Dry weight.

## Sample Login Acknowledgement

Lab Sample # Method	Client Sample ID Method Description / Work Location	Date Sampled	Matrix	Rpt Basis	Dry / Wet **
<b>180-44321-29</b>	<b>HD-MW-50D-0/1-0</b>	<b>5/20/2015 10:07:00 AM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-30</b>	<b>HD-MW-51S-0/1-0</b>	<b>5/20/2015 12:31:00 PM</b>	<b>Water</b>		
2320B	Alkalinity / In-Lab			Total	Wet
300_ORGFMS	Chloride/Sulfate/Nitrate / In-Lab			Total	Wet
6020A	Total Na, Ca, Mg, K / In-Lab			Total	Wet
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-31</b>	<b>HD-QC4-0/1-2</b>	<b>5/20/2015 12:01:00 PM</b>	<b>Water</b>		
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-32</b>	<b>HD-QC1-0/1-4</b>	<b>5/20/2015 8:20:00 AM</b>	<b>Water</b>		
8260C_LL	QAPP List LL / In-Lab			Total	Wet
<b>180-44321-33</b>	<b>HD-QC1-0/1-3</b>	<b>5/20/2015 8:15:00 AM</b>	<b>Water</b>		
8260C_LL	QAPP List LL / In-Lab			Total	Wet

\* Method on-hold

\*\* Wet/Dry indicates whether the reported results will be corrected for moisture content, and based on sample Wet weight or Dry weight.