

TestAmerica Pittsburgh  
301 Alpha Drive

## Chain of Custody Record

**TestAmerica**  
THE LEADER IN ENVIRONMENTAL TESTING

Pittsburgh, PA 15238  
phone 412.963.7058 fax 412.963.2470

TestAmerica Laboratories, Inc.

<b>Client Contact</b> Groundwater Sciences Corporation 2601 Market Place St. Suite 310 Harrisburg, PA 17110	<b>Project Manager:</b> Jennifer S. Reese <b>Tel/Fax:</b> 717-901-8181 / (717) 657-1611 <b>Analysis Turnaround Time</b> Calendar (C) or Work Days (W) <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 5 days <input type="checkbox"/> 1 day	<b>Site Contact:</b> Jennifer S. Reese <b>Lab Contact:</b> Carrie Gamber VOCs (826C) Alkalinity (Carb/Bicarb), SO <sub>4</sub> , CL <sub>2</sub> Total Na, Ca, K, and Mg (SW846 6020A)	<b>Date Submitted:</b> 7/15/2015 <b>Carrier:</b> FEDEX <b>Job No.:</b> 10012.16.0005 <b>COCs No.:</b> TAP2015071501 <b>Container No.:</b> 1 <b>SDG No.:</b>
<b>Sample Identification</b>			
Sample Date: 7/15/15 Sample Time: 1055 Sample Type: Surface Water Matrix: Water # of Cont: 5	Sample Date: 7/15/15 Sample Time: 1135 Sample Type: Surface Water Matrix: Water # of Cont: 5	Sample Date: 7/15/15 Sample Time: 0855 Sample Type: Surface Water Matrix: Water # of Cont: 5	Sample Date: 7/15/15 Sample Time: 1220 Sample Type: Surface Water Matrix: Water # of Cont: 5
Sample Date: 7/15/15 Sample Time: 0935 Sample Type: Surface Water Matrix: Water # of Cont: 5	Sample Date: 7/15/15 Sample Time: 1245 Sample Type: Surface Water Matrix: Water # of Cont: 5	Sample Date: 7/15/15 Sample Time: 1300 Sample Type: Surface Water Matrix: Water # of Cont: 5	Sample Date: 7/15/15 Sample Time: 0920 Sample Type: Surface Water Matrix: Water # of Cont: 5
Sample Date: 7/15/15 Sample Time: 1320 Sample Type: Surface Water Matrix: Water # of Cont: 5	Sample Date: 7/15/15 Sample Time: 12:00 Sample Type: Trip Blank Matrix: Water # of Cont: 2	Number of Containers: 3 1 1 Preservation Used: 1=Ice, 2=HCl, 3=H2SO4, 4=HN03, 5=NaOH, 6=Unpreserved, 7=Zinc Acetate & NaOH, 8=Field Filter Field Filter: N N N N	



Non-Hazard  Flammable  Skin Irritant  Poison B  Upright  
 Return To Client  Disposal By Lab  For Months  
**Sample Disposal:** (A fee may be assessed if samples are retained longer than 1 month)

---

**Special Instructions/QC Requirements & Comments:** CLP Like Deliverables

---

Relinquished by (Print and Sign): [Signature] Company: GSC  
 Date/Time: 7/15/15 1400

---

Relinquished by: [Signature] Company: TA  
 Date/Time: 7/15/15 1555

---

Relinquished by: [Signature] Company: JAF  
 Date/Time: 7-16-15 9:30

**TestAmerica Pittsburgh**  
301 Alpha Drive  
Pittsburgh, PA 15238  
phone 412.963.7058 fax 412.963.2470

### Chain of Custody Record

**TestAmerica**  
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Client Contact: Groundwater Sciences Corporation  
2601 Market Place St. Suite 310  
Harrisburg, PA 17110  
Phone: (717) 901-8180  
FAX: (717) 657-1611  
Project Name: **FVMP**  
Site: Harley-Davidson, York PA  
Quote # 18000657

Project Manager: Jennifer S. Reese  
Tel/Fax: 717-901-8181 / (717) 657-1611  
Analysis Turnaround Time:  
Calendar (C) or Work Days (W)  
LAI if different from Below Standard:  
2 weeks  
1 week  
5 days  
1 day

Site Contact: Jennifer S. Reese  
Lab Contact: Carrie Gamber  
Date Submitted: 7/15/2015  
Carrier: FEDEX  
COC No: TAP2015071502  
1 of 1 COCs  
Job No. 10012.16.0005

Container No. 2  
SDG No.

Sample Identification	Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	VOCs (8260C)		Alkalinity (Carb/Bicarb), SO <sub>4</sub> , Cl <sub>2</sub>		Total Na, Ca, K, and Mg (SW846 6020A)		Sample Specific Notes:
						X		X		X		
HD-COD-SW-16-0/1-0	7/15/15	1025	Surface Water	Water	5	X		X		X		
HD-COD-SW-17-0/1-0	7/15/15	1000	Surface Water	Water	5	X		X		X		
HD-COD-SW-17-0/1-0 MS	7/15/15	1000	Surface Water	Water	5	X		X		X		
HD-COD-SW-17-0/1-0 MSD	7/15/15	1000	Surface Water	Water	5	X		X		X		
HD-COD-SW-20-0/1-0	7/15/15	1055	Surface Water	Water	5	X		X		X		
HD-COD-SW-26-0/1-0	7/15/15	1115	Surface Water	Water	5	X		X		X		
HD-COD-SW-27-0/1-0	7/15/15	1330	Surface Water	Water	5	X		X		X		
HD-COD-SW-28-0/1-0	7/15/15	1235	Surface Water	Water	5	X		X		X		
HD-COD-SW-29-0/1-0	7/15/15	0840	Surface Water	Water	5	X		X		X		
HD-QC1-0/1-1	7/15/15	0800	Surface Water	Water	5	X		X		X		
HD-QC2-0/1-2	7/15/15	12:01	Trip Blank	Water	2	X						
						Number of Containers		Field Filter				
						3	1	1	1			
						2	1	4	4			
						N	N	N	N			

Possible Hazard Identification:  
 Non-Hazard  
 Flammable  
 Skin Irritant  
 Poison  
 Unknown

Special Instructions/QC Requirements & Comments: CLP Like Deliverables

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return To Client  
 Disposal By Lab  
 A [ ] For [ ] Months

Relinquished by (Print and Sign): *[Signature]*  
 Relinquished by: **TA**  
 Relinquished by: *[Signature]*

Company: GSC  
 Company: **TA**  
 Company: *[Signature]*

Received by: *[Signature]*  
 Received by: **Delaine Watson**  
 Received by: *[Signature]*

Date/Time: 7/15/15 1400  
 Date/Time: 7/15/15 1400  
 Date/Time: 7-16-15 9:30