











# Hold Time Summary

SDG 180-45946-1

Sample Number	Sample Name	Method	Date Collected	Analysis Date	Date Extracted	Days to Analysis
180-45946-1	HD-COD-SW-6-0/1-0	MCAWW 300.0	7/15/2015	7/16/2015		1
180-45946-11	HD-COD-SW-16-0/1-0	MCAWW 300.0	7/15/2015	7/16/2015		1
180-45946-12	HD-COD-SW-17-0/1-0	MCAWW 300.0	7/15/2015	7/16/2015		1
180-45946-13	HD-COD-SW-20-0/1-0	MCAWW 300.0	7/15/2015	7/16/2015		1
180-45946-14	HD-COD-SW-26-0/1-0	MCAWW 300.0	7/15/2015	7/16/2015		1
180-45946-15	HD-COD-SW-27-0/1-0	MCAWW 300.0	7/15/2015	7/16/2015		1
180-45946-16	HD-COD-SW-28-0/1-0	MCAWW 300.0	7/15/2015	7/16/2015		1
180-45946-17	HD-COD-SW-29-0/1-0	MCAWW 300.0	7/15/2015	7/16/2015		1
180-45946-18	HD-QC1-0/1-1	MCAWW 300.0	7/15/2015	7/16/2015		1
180-45946-2	HD-COD-SW-7-0/1-0	MCAWW 300.0	7/15/2015	7/16/2015		1
180-45946-3	HD-COD-SW-8-0/1-0	MCAWW 300.0	7/15/2015	7/17/2015		2
180-45946-4	HD-COD-SW-9-0/1-0	MCAWW 300.0	7/15/2015	7/17/2015		2
180-45946-5	HD-COD-SW-10-0/1-0	MCAWW 300.0	7/15/2015	7/17/2015		2
180-45946-6	HD-COD-SW-11-0/1-0	MCAWW 300.0	7/15/2015	7/17/2015		2
180-45946-7	HD-COD-SW-12-0/1-0	MCAWW 300.0	7/15/2015	7/17/2015		2
180-45946-8	HD-COD-SW-13-0/1-0	MCAWW 300.0	7/15/2015	7/16/2015		1
180-45946-9	HD-COD-SW-15-0/1-0	MCAWW 300.0	7/15/2015	7/16/2015		1
180-45946-1	HD-COD-SW-6-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-11	HD-COD-SW-16-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-12	HD-COD-SW-17-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-13	HD-COD-SW-20-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-14	HD-COD-SW-26-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-15	HD-COD-SW-27-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-16	HD-COD-SW-28-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-17	HD-COD-SW-29-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-18	HD-QC1-0/1-1	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-2	HD-COD-SW-7-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-3	HD-COD-SW-8-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-4	HD-COD-SW-9-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-5	HD-COD-SW-10-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-6	HD-COD-SW-11-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-7	HD-COD-SW-12-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-8	HD-COD-SW-13-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-9	HD-COD-SW-15-0/1-0	SM SM 2320B	7/15/2015	7/20/2015		5
180-45946-1	HD-COD-SW-6-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-11	HD-COD-SW-16-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-12	HD-COD-SW-17-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-13	HD-COD-SW-20-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-14	HD-COD-SW-26-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-15	HD-COD-SW-27-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5

ok

Sample Number	Sample Name	Method	Date Collected	Analysis Date	Date Extracted	Days to Analysis
180-45946-16	HD-COD-SW-28-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-17	HD-COD-SW-29-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-18	HD-QC1-0/1-1	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-2	HD-COD-SW-7-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-3	HD-COD-SW-8-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-4	HD-COD-SW-9-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-5	HD-COD-SW-10-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-6	HD-COD-SW-11-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-7	HD-COD-SW-12-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-8	HD-COD-SW-13-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-9	HD-COD-SW-15-0/1-0	SW846 6020A	7/15/2015	7/20/2015	7/17/2015	5
180-45946-1	HD-COD-SW-6-0/1-0	SW846 8260C	7/15/2015	7/17/2015		2
180-45946-10	HD-QC1-0/1-2	SW846 8260C	7/15/2015	7/21/2015		6
180-45946-11	HD-COD-SW-16-0/1-0	SW846 8260C	7/15/2015	7/21/2015		6
180-45946-12	HD-COD-SW-17-0/1-0	SW846 8260C	7/15/2015	7/21/2015		6
180-45946-13	HD-COD-SW-20-0/1-0	SW846 8260C	7/15/2015	7/21/2015		6
180-45946-14	HD-COD-SW-26-0/1-0	SW846 8260C	7/15/2015	7/21/2015		6
180-45946-15	HD-COD-SW-27-0/1-0	SW846 8260C	7/15/2015	7/21/2015		6
180-45946-16	HD-COD-SW-28-0/1-0	SW846 8260C	7/15/2015	7/21/2015		6
180-45946-17	HD-COD-SW-29-0/1-0	SW846 8260C	7/15/2015	7/21/2015		6
180-45946-18	HD-QC1-0/1-1	SW846 8260C	7/15/2015	7/21/2015		6
180-45946-19	HD-QC2-0/1-2	SW846 8260C	7/15/2015	7/21/2015		6
180-45946-2	HD-COD-SW-7-0/1-0	SW846 8260C	7/15/2015	7/17/2015		2
180-45946-3	HD-COD-SW-8-0/1-0	SW846 8260C	7/15/2015	7/17/2015		2
180-45946-4	HD-COD-SW-9-0/1-0	SW846 8260C	7/15/2015	7/17/2015		2
180-45946-5	HD-COD-SW-10-0/1-0	SW846 8260C	7/15/2015	7/17/2015		2
180-45946-6	HD-COD-SW-11-0/1-0	SW846 8260C	7/15/2015	7/17/2015		2
180-45946-7	HD-COD-SW-12-0/1-0	SW846 8260C	7/15/2015	7/21/2015		6
180-45946-8	HD-COD-SW-13-0/1-0	SW846 8260C	7/15/2015	7/21/2015		6
180-45946-9	HD-COD-SW-15-0/1-0	SW846 8260C	7/15/2015	7/21/2015		6

# Blank Detections

SDG 180-45946-1

Sample ID	Sample	Analyte	Result	Method	Units	Qual
MB 180-148049/1-A	MB 180-148049/1-A	Calcium	20.3	SW846 6020A	ug/L	J
MB 180-148049/1-A	MB 180-148049/1-A	Potassium	7.48	SW846 6020A	ug/L	J



# Qualifier Check

SDG 180-45946-1

Sample ID	Sample	Analyte	Result	5x	10x	Method	Units	Qual
180-45946-8	HD-COD-SW-13-0/1-0	Chloride	46	230	460	MCAWW 300.0	mg/L	B
180-45946-9	HD-COD-SW-15-0/1-0	Chloride	130	650	1300	MCAWW 300.0	mg/L	B
180-45946-11	HD-COD-SW-16-0/1-0	Chloride	47	235	470	MCAWW 300.0	mg/L	B
180-45946-13	HD-COD-SW-20-0/1-0	Chloride	46	230	460	MCAWW 300.0	mg/L	B
180-45946-14	HD-COD-SW-26-0/1-0	Chloride	64	320	640	MCAWW 300.0	mg/L	B
180-45946-16	HD-COD-SW-28-0/1-0	Chloride	82	410	820	MCAWW 300.0	mg/L	B
180-45946-17	HD-COD-SW-29-0/1-0	Chloride	48	240	480	MCAWW 300.0	mg/L	B
180-45946-18	HD-QC1-0/1-1	Chloride	130	650	1300	MCAWW 300.0	mg/L	B
180-45946-12	HD-COD-SW-17-0/1-0	Chloride	130	650	1300	MCAWW 300.0	mg/L	B ^
180-45946-15	HD-COD-SW-27-0/1-0	Chloride	60	300	600	MCAWW 300.0	mg/L	B ^
MB 180-147963/6	MB 180-147963/6	Chloride	0.255	1.275	2.55	MCAWW 300.0	mg/L	J
180-45946-5	HD-COD-SW-10-0/1-0	Nitrate as N	2.5	12.5	25	MCAWW 300.0	mg/L	B
180-45946-6	HD-COD-SW-11-0/1-0	Nitrate as N	4.1	20.5	41	MCAWW 300.0	mg/L	B
180-45946-7	HD-COD-SW-12-0/1-0	Nitrate as N	6.3	31.5	63	MCAWW 300.0	mg/L	B
180-45946-8	HD-COD-SW-13-0/1-0	Nitrate as N	2.3	11.5	23	MCAWW 300.0	mg/L	B
180-45946-9	HD-COD-SW-15-0/1-0	Nitrate as N	3.3	16.5	33	MCAWW 300.0	mg/L	B
180-45946-11	HD-COD-SW-16-0/1-0	Nitrate as N	2.4	12	24	MCAWW 300.0	mg/L	B
180-45946-12	HD-COD-SW-17-0/1-0	Nitrate as N	3.3	16.5	33	MCAWW 300.0	mg/L	B
180-45946-13	HD-COD-SW-20-0/1-0	Nitrate as N	1.7	8.5	17	MCAWW 300.0	mg/L	B
180-45946-14	HD-COD-SW-26-0/1-0	Nitrate as N	2.5	12.5	25	MCAWW 300.0	mg/L	B
180-45946-15	HD-COD-SW-27-0/1-0	Nitrate as N	2.1	10.5	21	MCAWW 300.0	mg/L	B
180-45946-16	HD-COD-SW-28-0/1-0	Nitrate as N	4.0	20	40	MCAWW 300.0	mg/L	B
180-45946-17	HD-COD-SW-29-0/1-0	Nitrate as N	2.3	11.5	23	MCAWW 300.0	mg/L	B

Sample ID	Sample	Analyte	Result	5x	10x	Method	Units	Qual
180-45946-1	HD-COD-SW-6-0/1-0	Nitrate as N	1.8	9	18	MCAWW 300.0	mg/L	B
180-45946-2	HD-COD-SW-7-0/1-0	Nitrate as N	2.7	13.5	27	MCAWW 300.0	mg/L	B
180-45946-3	HD-COD-SW-8-0/1-0	Nitrate as N	2.2	11	22	MCAWW 300.0	mg/L	B
180-45946-4	HD-COD-SW-9-0/1-0	Nitrate as N	4.0	20	40	MCAWW 300.0	mg/L	B
180-45946-18	HD-QC1-0/1-1	Nitrate as N	3.3	16.5	33	MCAWW 300.0	mg/L	B
MB 180-147937/6	MB 180-147937/6	Nitrate as N	0.00915	0.04575	0.0915	MCAWW 300.0	mg/L	J
MB 180-147963/6	MB 180-147963/6	Nitrate as N	0.0135	0.0675	0.135	MCAWW 300.0	mg/L	J
180-45946-5	HD-COD-SW-10-0/1-0	Bicarbonate Alkalinity as CaCO3	230	1150	2300	SM SM 2320B	mg/L	B
180-45946-6	HD-COD-SW-11-0/1-0	Bicarbonate Alkalinity as CaCO3	220	1100	2200	SM SM 2320B	mg/L	B
180-45946-7	HD-COD-SW-12-0/1-0	Bicarbonate Alkalinity as CaCO3	190	950	1900	SM SM 2320B	mg/L	B
180-45946-8	HD-COD-SW-13-0/1-0	Bicarbonate Alkalinity as CaCO3	110	550	1100	SM SM 2320B	mg/L	B
180-45946-9	HD-COD-SW-15-0/1-0	Bicarbonate Alkalinity as CaCO3	220	1100	2200	SM SM 2320B	mg/L	B
180-45946-11	HD-COD-SW-16-0/1-0	Bicarbonate Alkalinity as CaCO3	88	440	880	SM SM 2320B	mg/L	B
180-45946-12	HD-COD-SW-17-0/1-0	Bicarbonate Alkalinity as CaCO3	250	1250	2500	SM SM 2320B	mg/L	B
180-45946-13	HD-COD-SW-20-0/1-0	Bicarbonate Alkalinity as CaCO3	80	400	800	SM SM 2320B	mg/L	B
180-45946-14	HD-COD-SW-26-0/1-0	Bicarbonate Alkalinity as CaCO3	130	650	1300	SM SM 2320B	mg/L	B
180-45946-15	HD-COD-SW-27-0/1-0	Bicarbonate Alkalinity as CaCO3	160	800	1600	SM SM 2320B	mg/L	B
180-45946-16	HD-COD-SW-28-0/1-0	Bicarbonate Alkalinity as CaCO3	150	750	1500	SM SM 2320B	mg/L	B
180-45946-17	HD-COD-SW-29-0/1-0	Bicarbonate Alkalinity as CaCO3	84	420	840	SM SM 2320B	mg/L	B
180-45946-1	HD-COD-SW-6-0/1-0	Bicarbonate Alkalinity as CaCO3	76	380	760	SM SM 2320B	mg/L	B
180-45946-2	HD-COD-SW-7-0/1-0	Bicarbonate Alkalinity as CaCO3	110	550	1100	SM SM 2320B	mg/L	B
180-45946-3	HD-COD-SW-8-0/1-0	Bicarbonate Alkalinity as CaCO3	86	430	860	SM SM 2320B	mg/L	B
180-45946-4	HD-COD-SW-9-0/1-0	Bicarbonate Alkalinity as CaCO3	140	700	1400	SM SM 2320B	mg/L	B
180-45946-18	HD-QC1-0/1-1	Bicarbonate Alkalinity as CaCO3	220	1100	2200	SM SM 2320B	mg/L	B
MB 180-148162/2	MB 180-148162/2	Bicarbonate Alkalinity as CaCO3	4.02	20.1	40.2	SM SM 2320B	mg/L	J

Sample ID	Sample	Analyte	Result	5x	10x	Method	Units	Qual
180-45946-5	HD-COD-SW-10-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	230	1150	2300	SM SM 2320B	mg/L	B
180-45946-6	HD-COD-SW-11-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	220	1100	2200	SM SM 2320B	mg/L	B
180-45946-7	HD-COD-SW-12-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	190	950	1900	SM SM 2320B	mg/L	B
180-45946-8	HD-COD-SW-13-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	110	550	1100	SM SM 2320B	mg/L	B
180-45946-9	HD-COD-SW-15-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	220	1100	2200	SM SM 2320B	mg/L	B
180-45946-11	HD-COD-SW-16-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	88	440	880	SM SM 2320B	mg/L	B
180-45946-12	HD-COD-SW-17-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	250	1250	2500	SM SM 2320B	mg/L	B
180-45946-13	HD-COD-SW-20-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	80	400	800	SM SM 2320B	mg/L	B
180-45946-14	HD-COD-SW-26-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	130	650	1300	SM SM 2320B	mg/L	B
180-45946-15	HD-COD-SW-27-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	160	800	1600	SM SM 2320B	mg/L	B
180-45946-16	HD-COD-SW-28-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	150	750	1500	SM SM 2320B	mg/L	B
180-45946-17	HD-COD-SW-29-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	84	420	840	SM SM 2320B	mg/L	B
180-45946-1	HD-COD-SW-6-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	76	380	760	SM SM 2320B	mg/L	B
180-45946-2	HD-COD-SW-7-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	110	550	1100	SM SM 2320B	mg/L	B
180-45946-3	HD-COD-SW-8-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	86	430	860	SM SM 2320B	mg/L	B
180-45946-4	HD-COD-SW-9-0/1-0	Total Alkalinity as CaCO3 to pH 4.5	140	700	1400	SM SM 2320B	mg/L	B
180-45946-18	HD-QC1-0/1-1	Total Alkalinity as CaCO3 to pH 4.5	220	1100	2200	SM SM 2320B	mg/L	B
MB 180-148162/2	MB 180-148162/2	Total Alkalinity as CaCO3 to pH 4.5	4.02	20.1	40.2	SM SM 2320B	mg/L	J
180-45946-5	HD-COD-SW-10-0/1-0	Calcium	90000	450000	900000	SW846 6020A	ug/L	B
180-45946-6	HD-COD-SW-11-0/1-0	Calcium	71000	355000	710000	SW846 6020A	ug/L	B
180-45946-7	HD-COD-SW-12-0/1-0	Calcium	67000	335000	670000	SW846 6020A	ug/L	B
180-45946-8	HD-COD-SW-13-0/1-0	Calcium	31000	155000	310000	SW846 6020A	ug/L	B
180-45946-9	HD-COD-SW-15-0/1-0	Calcium	89000	445000	890000	SW846 6020A	ug/L	B
180-45946-11	HD-COD-SW-16-0/1-0	Calcium	32000	160000	320000	SW846 6020A	ug/L	B
180-45946-12	HD-COD-SW-17-0/1-0	Calcium	95000	475000	950000	SW846 6020A	ug/L	B

Sample ID	Sample	Analyte	Result	5x	10x	Method	Units	Qual
180-45946-13	HD-COD-SW-20-0/1-0	Calcium	29000	145000	290000	SW846 6020A	ug/L	B
180-45946-14	HD-COD-SW-26-0/1-0	Calcium	40000	200000	400000	SW846 6020A	ug/L	B
180-45946-15	HD-COD-SW-27-0/1-0	Calcium	51000	255000	510000	SW846 6020A	ug/L	B
180-45946-16	HD-COD-SW-28-0/1-0	Calcium	50000	250000	500000	SW846 6020A	ug/L	B
180-45946-17	HD-COD-SW-29-0/1-0	Calcium	32000	160000	320000	SW846 6020A	ug/L	B
180-45946-1	HD-COD-SW-6-0/1-0	Calcium	31000	155000	310000	SW846 6020A	ug/L	B
180-45946-2	HD-COD-SW-7-0/1-0	Calcium	36000	180000	360000	SW846 6020A	ug/L	B
180-45946-3	HD-COD-SW-8-0/1-0	Calcium	30000	150000	300000	SW846 6020A	ug/L	B
180-45946-4	HD-COD-SW-9-0/1-0	Calcium	50000	250000	500000	SW846 6020A	ug/L	B
180-45946-18	HD-QC1-0/1-1	Calcium	89000	445000	890000	SW846 6020A	ug/L	B
MB 180-148049/1-A	MB 180-148049/1-A	Calcium	20.3	101.5	203	SW846 6020A	ug/L	J
180-45946-5	HD-COD-SW-10-0/1-0	Potassium	7100	35500	71000	SW846 6020A	ug/L	B
180-45946-6	HD-COD-SW-11-0/1-0	Potassium	2100	10500	21000	SW846 6020A	ug/L	B
180-45946-7	HD-COD-SW-12-0/1-0	Potassium	16000	80000	160000	SW846 6020A	ug/L	B
180-45946-8	HD-COD-SW-13-0/1-0	Potassium	3700	18500	37000	SW846 6020A	ug/L	B
180-45946-9	HD-COD-SW-15-0/1-0	Potassium	5400	27000	54000	SW846 6020A	ug/L	B
180-45946-11	HD-COD-SW-16-0/1-0	Potassium	4000	20000	40000	SW846 6020A	ug/L	B
180-45946-12	HD-COD-SW-17-0/1-0	Potassium	5400	27000	54000	SW846 6020A	ug/L	B
180-45946-13	HD-COD-SW-20-0/1-0	Potassium	2600	13000	26000	SW846 6020A	ug/L	B
180-45946-14	HD-COD-SW-26-0/1-0	Potassium	4200	21000	42000	SW846 6020A	ug/L	B
180-45946-15	HD-COD-SW-27-0/1-0	Potassium	4200	21000	42000	SW846 6020A	ug/L	B
180-45946-16	HD-COD-SW-28-0/1-0	Potassium	8000	40000	80000	SW846 6020A	ug/L	B
180-45946-17	HD-COD-SW-29-0/1-0	Potassium	3800	19000	38000	SW846 6020A	ug/L	B
180-45946-1	HD-COD-SW-6-0/1-0	Potassium	2800	14000	28000	SW846 6020A	ug/L	B
180-45946-2	HD-COD-SW-7-0/1-0	Potassium	4300	21500	43000	SW846 6020A	ug/L	B

Sample ID	Sample	Analyte	Result	5x	10x	Method	Units	Qual
180-45946-3	HD-COD-SW-8-0/1-0	Potassium	3600	18000	36000	SW846 6020A	ug/L	B
180-45946-4	HD-COD-SW-9-0/1-0	Potassium	8000	40000	80000	SW846 6020A	ug/L	B
180-45946-18	HD-QC1-0/1-1	Potassium	5400	27000	54000	SW846 6020A	ug/L	B
MB 180-148049/1-A	MB 180-148049/1-A	Potassium	7.48	37.4	74.8	SW846 6020A	ug/L	J
180-45946-9	HD-COD-SW-15-0/1-0	1,1,1-Trichloroethane	0.36	1.8	3.6	SW846 8260C	ug/L	J
180-45946-18	HD-QC1-0/1-1	1,1,1-Trichloroethane	0.37	1.85	3.7	SW846 8260C	ug/L	J
180-45946-12	HD-COD-SW-17-0/1-0	1,1-Dichloroethane	0.36	1.8	3.6	SW846 8260C	ug/L	J
180-45946-18	HD-QC1-0/1-1	1,1-Dichloroethane	0.14	0.7	1.4	SW846 8260C	ug/L	J
180-45946-9	HD-COD-SW-15-0/1-0	1,1-Dichloroethene	0.48	2.4	4.8	SW846 8260C	ug/L	J
180-45946-12	HD-COD-SW-17-0/1-0	1,1-Dichloroethene	0.74	3.7	7.4	SW846 8260C	ug/L	J
180-45946-18	HD-QC1-0/1-1	1,1-Dichloroethene	0.53	2.65	5.3	SW846 8260C	ug/L	J
180-45946-7	HD-COD-SW-12-0/1-0	2-Butanone (MEK)				SW846 8260C	ug/L	^c
180-45946-8	HD-COD-SW-13-0/1-0	2-Butanone (MEK)				SW846 8260C	ug/L	^c
180-45946-9	HD-COD-SW-15-0/1-0	2-Butanone (MEK)				SW846 8260C	ug/L	^c
180-45946-11	HD-COD-SW-16-0/1-0	2-Butanone (MEK)				SW846 8260C	ug/L	^c
180-45946-12	HD-COD-SW-17-0/1-0	2-Butanone (MEK)				SW846 8260C	ug/L	^c
180-45946-13	HD-COD-SW-20-0/1-0	2-Butanone (MEK)				SW846 8260C	ug/L	^c
180-45946-14	HD-COD-SW-26-0/1-0	2-Butanone (MEK)				SW846 8260C	ug/L	^c
180-45946-15	HD-COD-SW-27-0/1-0	2-Butanone (MEK)				SW846 8260C	ug/L	^c
180-45946-16	HD-COD-SW-28-0/1-0	2-Butanone (MEK)				SW846 8260C	ug/L	^c
180-45946-17	HD-COD-SW-29-0/1-0	2-Butanone (MEK)				SW846 8260C	ug/L	^c
180-45946-18	HD-QC1-0/1-1	2-Butanone (MEK)				SW846 8260C	ug/L	^c
180-45946-10	HD-QC1-0/1-2	2-Butanone (MEK)				SW846 8260C	ug/L	^c
180-45946-19	HD-QC2-0/1-2	2-Butanone (MEK)				SW846 8260C	ug/L	^c
180-45946-7	HD-COD-SW-12-0/1-0	2-Hexanone				SW846 8260C	ug/L	^c
180-45946-8	HD-COD-SW-13-0/1-0	2-Hexanone				SW846 8260C	ug/L	^c
180-45946-9	HD-COD-SW-15-0/1-0	2-Hexanone				SW846 8260C	ug/L	^c
180-45946-11	HD-COD-SW-16-0/1-0	2-Hexanone				SW846 8260C	ug/L	^c
180-45946-12	HD-COD-SW-17-0/1-0	2-Hexanone				SW846 8260C	ug/L	^c
180-45946-13	HD-COD-SW-20-0/1-0	2-Hexanone				SW846 8260C	ug/L	^c
180-45946-14	HD-COD-SW-26-0/1-0	2-Hexanone				SW846 8260C	ug/L	^c
180-45946-15	HD-COD-SW-27-0/1-0	2-Hexanone				SW846 8260C	ug/L	^c
180-45946-16	HD-COD-SW-28-0/1-0	2-Hexanone				SW846 8260C	ug/L	^c
180-45946-17	HD-COD-SW-29-0/1-0	2-Hexanone				SW846 8260C	ug/L	^c
180-45946-18	HD-QC1-0/1-1	2-Hexanone				SW846 8260C	ug/L	^c
180-45946-10	HD-QC1-0/1-2	2-Hexanone				SW846 8260C	ug/L	^c
180-45946-19	HD-QC2-0/1-2	2-Hexanone				SW846 8260C	ug/L	^c

Sample ID	Sample	Analyte	Result	5x	10x	Method	Units	Qual
180-45946-8	HD-COD-SW-13-0/1-0	Acetone	2.8	14	28	SW846 8260C	ug/L	J
180-45946-17	HD-COD-SW-29-0/1-0	Acetone	2.7	13.5	27	SW846 8260C	ug/L	J
180-45946-1	HD-COD-SW-6-0/1-0	Acetone	4.3	21.5	43	SW846 8260C	ug/L	J
180-45946-3	HD-COD-SW-8-0/1-0	Acetone	3.7	18.5	37	SW846 8260C	ug/L	J
180-45946-7	HD-COD-SW-12-0/1-0	Chloroethane				SW846 8260C	ug/L	^C
180-45946-8	HD-COD-SW-13-0/1-0	Chloroethane				SW846 8260C	ug/L	^C
180-45946-9	HD-COD-SW-15-0/1-0	Chloroethane				SW846 8260C	ug/L	^C
180-45946-11	HD-COD-SW-16-0/1-0	Chloroethane				SW846 8260C	ug/L	^C
180-45946-12	HD-COD-SW-17-0/1-0	Chloroethane				SW846 8260C	ug/L	^C
180-45946-13	HD-COD-SW-20-0/1-0	Chloroethane				SW846 8260C	ug/L	^C
180-45946-14	HD-COD-SW-26-0/1-0	Chloroethane				SW846 8260C	ug/L	^C
180-45946-15	HD-COD-SW-27-0/1-0	Chloroethane				SW846 8260C	ug/L	^C
180-45946-16	HD-COD-SW-28-0/1-0	Chloroethane				SW846 8260C	ug/L	^C
180-45946-17	HD-COD-SW-29-0/1-0	Chloroethane				SW846 8260C	ug/L	^C
180-45946-18	HD-QC1-0/1-1	Chloroethane				SW846 8260C	ug/L	^C
180-45946-10	HD-QC1-0/1-2	Chloroethane				SW846 8260C	ug/L	^C
180-45946-19	HD-QC2-0/1-2	Chloroethane				SW846 8260C	ug/L	^C
180-45946-6	HD-COD-SW-11-0/1-0	Chloroform	0.28	1.4	2.8	SW846 8260C	ug/L	J
180-45946-7	HD-COD-SW-12-0/1-0	Chloromethane				SW846 8260C	ug/L	^C
180-45946-8	HD-COD-SW-13-0/1-0	Chloromethane				SW846 8260C	ug/L	^C
180-45946-9	HD-COD-SW-15-0/1-0	Chloromethane				SW846 8260C	ug/L	^C
180-45946-11	HD-COD-SW-16-0/1-0	Chloromethane				SW846 8260C	ug/L	^C
180-45946-12	HD-COD-SW-17-0/1-0	Chloromethane				SW846 8260C	ug/L	^C
180-45946-13	HD-COD-SW-20-0/1-0	Chloromethane				SW846 8260C	ug/L	^C
180-45946-14	HD-COD-SW-26-0/1-0	Chloromethane				SW846 8260C	ug/L	^C
180-45946-15	HD-COD-SW-27-0/1-0	Chloromethane				SW846 8260C	ug/L	^C
180-45946-16	HD-COD-SW-28-0/1-0	Chloromethane				SW846 8260C	ug/L	^C
180-45946-17	HD-COD-SW-29-0/1-0	Chloromethane				SW846 8260C	ug/L	^C
180-45946-18	HD-QC1-0/1-1	Chloromethane				SW846 8260C	ug/L	^C
180-45946-10	HD-QC1-0/1-2	Chloromethane				SW846 8260C	ug/L	^C
180-45946-19	HD-QC2-0/1-2	Chloromethane				SW846 8260C	ug/L	^C
180-45946-12	HD-COD-SW-17-0/1-0	cis-1,2-Dichloroethene	13	65	130	SW846 8260C	ug/L	F1
180-45946-15	HD-COD-SW-27-0/1-0	cis-1,2-Dichloroethene	0.26	1.3	2.6	SW846 8260C	ug/L	J
180-45946-16	HD-COD-SW-28-0/1-0	cis-1,2-Dichloroethene	0.25	1.25	2.5	SW846 8260C	ug/L	J
180-45946-4	HD-COD-SW-9-0/1-0	cis-1,2-Dichloroethene	0.28	1.4	2.8	SW846 8260C	ug/L	J
180-45946-8	HD-COD-SW-13-0/1-0	Tetrachloroethene	0.20	1	2	SW846 8260C	ug/L	J
180-45946-11	HD-COD-SW-16-0/1-0	Tetrachloroethene	0.22	1.1	2.2	SW846 8260C	ug/L	J
180-45946-16	HD-COD-SW-28-0/1-0	Tetrachloroethene	0.17	0.85	1.7	SW846 8260C	ug/L	J
180-45946-3	HD-COD-SW-8-0/1-0	Tetrachloroethene	0.16	0.8	1.6	SW846 8260C	ug/L	J

Sample ID	Sample	Analyte	Result	5x	10x	Method	Units	Qual
180-45946-4	HD-COD-SW-9-0/1-0	Tetrachloroethene	0.15	0.75	1.5	SW846 8260C	ug/L	J
180-45946-7	HD-COD-SW-12-0/1-0	Toluene	0.26	1.3	2.6	SW846 8260C	ug/L	J
180-45946-16	HD-COD-SW-28-0/1-0	Toluene	0.16	0.8	1.6	SW846 8260C	ug/L	J
180-45946-17	HD-COD-SW-29-0/1-0	Toluene	0.17	0.85	1.7	SW846 8260C	ug/L	J
180-45946-4	HD-COD-SW-9-0/1-0	Toluene	0.16	0.8	1.6	SW846 8260C	ug/L	J
180-45946-8	HD-COD-SW-13-0/1-0	Trichloroethene	0.19	0.95	1.9	SW846 8260C	ug/L	J
180-45946-11	HD-COD-SW-16-0/1-0	Trichloroethene	0.18	0.9	1.8	SW846 8260C	ug/L	J
180-45946-15	HD-COD-SW-27-0/1-0	Trichloroethene	0.20	1	2	SW846 8260C	ug/L	J
180-45946-16	HD-COD-SW-28-0/1-0	Trichloroethene	0.21	1.05	2.1	SW846 8260C	ug/L	J
180-45946-3	HD-COD-SW-8-0/1-0	Trichloroethene	0.15	0.75	1.5	SW846 8260C	ug/L	J
180-45946-4	HD-COD-SW-9-0/1-0	Trichloroethene	0.28	1.4	2.8	SW846 8260C	ug/L	J
180-45946-7	HD-COD-SW-12-0/1-0	Vinyl chloride				SW846 8260C	ug/L	^c
180-45946-8	HD-COD-SW-13-0/1-0	Vinyl chloride				SW846 8260C	ug/L	^c
180-45946-9	HD-COD-SW-15-0/1-0	Vinyl chloride				SW846 8260C	ug/L	^c
180-45946-11	HD-COD-SW-16-0/1-0	Vinyl chloride				SW846 8260C	ug/L	^c
180-45946-12	HD-COD-SW-17-0/1-0	Vinyl chloride				SW846 8260C	ug/L	^c
180-45946-13	HD-COD-SW-20-0/1-0	Vinyl chloride				SW846 8260C	ug/L	^c
180-45946-14	HD-COD-SW-26-0/1-0	Vinyl chloride				SW846 8260C	ug/L	^c
180-45946-15	HD-COD-SW-27-0/1-0	Vinyl chloride				SW846 8260C	ug/L	^c
180-45946-16	HD-COD-SW-28-0/1-0	Vinyl chloride				SW846 8260C	ug/L	^c
180-45946-17	HD-COD-SW-29-0/1-0	Vinyl chloride				SW846 8260C	ug/L	^c
180-45946-18	HD-QC1-0/1-1	Vinyl chloride				SW846 8260C	ug/L	^c
180-45946-10	HD-QC1-0/1-2	Vinyl chloride				SW846 8260C	ug/L	^c
180-45946-19	HD-QC2-0/1-2	Vinyl chloride				SW846 8260C	ug/L	^c