

TABLE 2.4-6  
 REJECTED DATA SUMMARY  
 FYNOP, 1425 EDEN ROAD, YORK, PA 17402

Sample ID	Lab ID	Sample Date	Analysis	Analyte	CASRN
Initial Calibration RRF Result Outside QC Limits. 31-Total					
TB-TAP0506201402	180-32508-16	5/6/14	VOC	1,4-Dioxane	123-91-1
HD-MW-137A-295.5/296-0	180-35981-1	8/20/14	VOC	1,4-Dioxane	123-91-1
HD-COD-SW-17-0/1-0	180-35393-11	8/4/14	VOC	1,4-Dioxane	123-91-1
TB-TAP0606201401	180-33609-4	6/6/14	VOC	1,4-Dioxane	123-91-1
HD-COD-SW-27-0/1-0	180-33609-3	6/6/14	VOC	1,4-Dioxane	123-91-1
HD-COD-SW-9-0/1-0	180-33609-1	6/6/14	VOC	1,4-Dioxane	123-91-1
HD-MW-147A-0/1-0	180-32508-12	5/6/14	VOC	1,4-Dioxane	123-91-1
HD-MW-100D-0/1-0	180-32508-11	5/6/14	VOC	1,4-Dioxane	123-91-1
HD-MW-100I-0/1-0	180-32508-10	5/6/14	VOC	1,4-Dioxane	123-91-1
HD-MW-96S-0/1-0	180-32508-2	5/6/14	VOC	1,4-Dioxane	123-91-1
TB-TAP0820201401	180-35981-2	8/20/14	VOC	1,4-Dioxane	123-91-1
RB-TAP0506201402	180-32508-17	5/6/14	VOC	1,4-Dioxane	123-91-1
HD-COD-SW-12-0/1-0	180-33609-2	6/6/14	VOC	1,4-Dioxane	123-91-1
HD-MW-99S-0/1-0 Dup	180-32508-15	5/6/14	VOC	1,4-Dioxane	123-91-1
HD-MW-100S-0/1-0	180-32508-9	5/6/14	VOC	1,4-Dioxane	123-91-1
HD-MW-51D-0/1-0	180-32508-8	5/6/14	VOC	1,4-Dioxane	123-91-1
HD-MW-50D-0/1-0	180-32508-7	5/6/14	VOC	1,4-Dioxane	123-91-1
HD-MW-50S-0/1-0	180-32508-6	5/6/14	VOC	1,4-Dioxane	123-91-1
HD-MW-97-0/1-0	180-32508-1	5/6/14	VOC	1,4-Dioxane	123-91-1
FB-TAP0506201402	180-32508-18	5/6/14	VOC	1,4-Dioxane	123-91-1
HD-MW-99D-0/1-0	180-40481-4	1/14/15	VOC	1,4-Dioxane	123-91-1
HD-MW-99D-0/1-0	180-32508-13	5/6/14	VOC	1,4-Dioxane	123-91-1
HD-QC3-0/1-2	180-40481-9	1/14/15	VOC	1,4-Dioxane	123-91-1
HD-MW-75S-0/1-0	180-40481-6	1/14/15	VOC	1,4-Dioxane	123-91-1
HD-MW-75D-0/1-0	180-40481-7	1/14/15	VOC	1,4-Dioxane	123-91-1
HD-MW-37D-0/1-0	180-40481-8	1/14/15	VOC	1,4-Dioxane	123-91-1
HD-MW-147A-0/1-0	180-40481-5	1/14/15	VOC	1,4-Dioxane	123-91-1
HD-MW-100S-0/1-0	180-40481-3	1/14/15	VOC	1,4-Dioxane	123-91-1
HD-MW-100I-0/1-0	180-40481-2	1/14/15	VOC	1,4-Dioxane	123-91-1
HD-MW-100D-0/1-0	180-40481-1	1/14/15	VOC	1,4-Dioxane	123-91-1
HD-QC6-0/1-2	180-42445-13	3/26/15	VOC	1,4-Dioxane	123-91-1
Continuing Calibration RRF Result Outside QC limits. 19-Total					
HD-MW-142S-0/1-0	180-37661-6	10/13/14	VOC	1,4-Dioxane	123-91-1
HD-NPBA-SW-1-0/0-0	180-18086-4	1/15/13	VOC	1,4-Dioxane	123-91-1
HD-NPBA-SW-2-0/0-0	180-18086-5	1/15/13	VOC	1,4-Dioxane	123-91-1
HD-NPBA-SW-3-0/0-0	180-18086-6	1/15/13	VOC	1,4-Dioxane	123-91-1
HD-MW-140A-407.5/408-0	180-37661-9	10/13/14	VOC	1,4-Dioxane	123-91-1
HD-MW-137A-0/1-0	180-18086-2	1/15/13	VOC	1,4-Dioxane	123-91-1
HD-QC11-0/1-2	180-38138-1	10/27/14	VOC	1,4-Dioxane	123-91-1
HD-MW-88-0/0-1	180-38138-2	10/27/14	VOC	1,4-Dioxane	123-91-1
HD-MW-150-0/1-0	180-38138-3	10/27/14	VOC	1,4-Dioxane	123-91-1
HD-MW-143D-0/1-0	180-37661-7	10/13/14	VOC	1,4-Dioxane	123-91-1
HD-MW-142D-0/1-0	180-37661-5	10/13/14	VOC	1,4-Dioxane	123-91-1
HD-MW-101S-0/1-0	180-37661-2	10/13/14	VOC	1,4-Dioxane	123-91-1
HD-MW-101D-0/1-0	180-37661-1	10/13/14	VOC	1,4-Dioxane	123-91-1
HD-QC1-0/1-1	180-37661-11	10/13/14	VOC	1,4-Dioxane	123-91-1
HD-QC1-0/1-4	180-37661-14	10/13/14	VOC	1,4-Dioxane	123-91-1
HD-QC1-0/1-2	180-37661-12	10/13/14	VOC	1,4-Dioxane	123-91-1
HD-QC1-0/1-3	180-37661-13	10/13/14	VOC	1,4-Dioxane	123-91-1
HD-MW-140A-372/372.5-0	180-37661-10	10/13/14	VOC	1,4-Dioxane	123-91-1
HD-CW-1-0/1-0	180-37661-8	10/13/14	VOC	1,4-Dioxane	123-91-1

TABLE 2.4-6  
 REJECTED DATA SUMMARY  
 FYNOP, 1425 EDEN ROAD, YORK, PA 17402

Sample ID	Lab ID	Sample Date	Analysis	Analyte	CASRN
Laboratory organic MS/MSD results outside QC limits.. 1-Total					
HD-MW-165-0/1-0	180-42975-1	4/10/15	VOC	Carbon Disulfide	75-15-0
Laboratory Control Sample Results Outside QC limits. 4-Total					
HD-MW-162-0/1-0	180-42975-2	4/10/15	VOC	Carbon Disulfide	75-15-0
HD-QC1-0/1-2	180-42938-6	4/9/15	VOC	Carbon Disulfide	75-15-0
HD-MW-163-0/1-0	180-42938-2	4/8/15	VOC	Carbon Disulfide	75-15-0
HD-QC2-0/1-2	180-42975-4	4/10/15	VOC	Carbon Disulfide	75-15-0
Lab Conducted Analysis Outside Lab SOP. 58-Total					
FB-TAC0917201301	180-25207-10	9/17/13	Sulfide	Sulfide, Total	18496-25-8
HD-MW-98I-0/1-0	180-25257-3	9/18/13	Sulfide	Sulfide, Total	18496-25-8
RB-TAC0917201301	180-25207-9	9/17/13	Sulfide	Sulfide, Total	18496-25-8
HD-MW-147A-0/1-0 Dup	180-25207-8	9/17/13	Sulfide	Sulfide, Total	18496-25-8
HD-MW-147A-0/1-0	180-25207-7	9/17/13	Sulfide	Sulfide, Total	18496-25-8
HD-MW-146-0/1-0	180-25207-5	9/17/13	Sulfide	Sulfide, Total	18496-25-8
HD-Cole F-0/1-0	180-25305-3	9/19/13	Sulfide	Sulfide, Total	18496-25-8
HD-MW-100D-0/1-0	180-25207-2	9/17/13	Sulfide	Sulfide, Total	18496-25-8
HD-MW-98S-0/1-0	180-25257-4	9/18/13	Sulfide	Sulfide, Total	18496-25-8
HD-CW-8-0/1-0	180-25205-9	9/16/13	Sulfide	Sulfide, Total	18496-25-8
HD-CW-4-0/1-0	180-25205-4	9/16/13	Sulfide	Sulfide, Total	18496-25-8
HD-MW-99S-0/1-0	180-25205-17	9/16/13	Sulfide	Sulfide, Total	18496-25-8
HD-MW-99D-0/1-0	180-25205-16	9/16/13	Sulfide	Sulfide, Total	18496-25-8
HD-CW-15A-0/1-0	180-25205-11	9/16/13	Sulfide	Sulfide, Total	18496-25-8
HD-CW-13-0/1-0	180-25205-10	9/16/13	Sulfide	Sulfide, Total	18496-25-8
HD-MW-100S-0/1-0	180-25207-4	9/17/13	Sulfide	Sulfide, Total	18496-25-8
HD-MW-7-0/1-0	180-25305-7	9/19/13	Sulfide	Sulfide, Total	18496-25-8
HD-MW-51D-0/1-0	180-25257-2	9/18/13	Sulfide	Sulfide, Total	18496-25-8
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	1,1,1,2-Tetrachloroethane	630-20-6
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	1,1,1-Trichloroethane	71-55-6
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	1,1,2,2-Tetrachloroethane	79-34-5
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	1,1,2-Trichloroethane	79-00-5
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	1,1-Dichloroethane	75-34-3
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	1,1-Dichloroethene	75-35-4
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	1,2-Dibromoethane	106-93-4
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	1,2-Dichloroethane	107-06-2
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	1,2-Dichloropropane	78-87-5
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	1,4-Dioxane	123-91-1
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	2-Butanone	78-93-3
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	2-Hexanone	591-78-6
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	4-Methyl-2-Pentanone	108-10-1
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Acetone	67-64-1
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Acrylonitrile	107-13-1
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Benzene	71-43-2
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Bromochloromethane	74-97-5
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Bromodichloromethane	75-27-4
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Bromoform	75-25-2
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Bromomethane	74-83-9
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Carbon Disulfide	75-15-0
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Carbon Tetrachloride	56-23-5
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Chlorobenzene	108-90-7
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Chloroethane	75-00-3
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Chloroform	67-66-3
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Chloromethane	74-87-3
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	cis-1,2-Dichloroethene	156-59-2

TABLE 2.4-6  
REJECTED DATA SUMMARY  
FYNOP, 1425 EDEN ROAD, YORK, PA 17402

Sample ID	Lab ID	Sample Date	Analysis	Analyte	CASRN
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	cis-1,3-Dichloropropene	10061-01-5
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Chlorodibromomethane	124-48-1
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Ethylbenzene	100-41-4
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Methyl tert-butyl ether	1634-04-4
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Methylene chloride	75-09-2
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Styrene	100-42-5
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Tetrachloroethene	127-18-4
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Toluene	108-88-3
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	trans-1,2-Dichloroethene	156-60-5
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	trans-1,3-Dichloropropene	10061-02-6
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Trichloroethene	79-01-6
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Vinyl Chloride	75-01-4
HD-MW-51D-0/1-0	180-42504-8	3/27/15	VOC	Xylenes (Total)	1330-20-7