

From: Trowbridge, Pamela <ptrowbridg@pa.gov>
Sent: Friday, January 23, 2015 4:13 PM
To: Steve Snyder; Fisher, Sharon
Cc: Hamid Rafiee; Jennifer S. Reese; Ralph Golia; Myers, Rodney; Joel W. Hennessy; Griff Miller
Subject: RE: Remedial Alternatives Analysis Part 1

I have reviewed the document and I do not have any comments on it. However, where it would fit into the Act 2 process would be as part of a Cleanup Plan under the site specific standard. In the Act 2 Technical Guidance Manual, we discuss what goes into a Cleanup Plan and part of it is the feasibility study. We can discuss this at our next face to face meeting.

Pamela S. Trowbridge, P.G. | Licensed Professional Geologist
Department of Environmental Protection | Environmental Clean-Up & Brownfields
Southcentral Regional Office
909 Elmerton Ave | Harrisburg, PA 17110
Phone: 717.705.4839 | Fax: 717.705.4830

ptrowbridg@pa.gov

www.depweb.state.pa.us

Effective July 1, 2014, the 24-hour toll free Emergency Response number for SCRO will be: 866-825-0208



pennsylvania
DEPARTMENT OF ENVIRONMENTAL
PROTECTION



From: Steve Snyder [<mailto:ssnyder@groundwatersciences.com>]
Sent: Wednesday, December 03, 2014 1:20 PM
To: Griff Miller; Joel W. Hennessy; Trowbridge, Pamela
Cc: Hamid Rafiee; Jennifer S. Reese; Ralph Golia; Rodney Myers; Sharon R. Fisher
Subject: FW: Remedial Alternatives Analysis Part 1

Griff, Joel, and Pam,

Attached is a document the fYNOP team has prepared to help us focus on the final remedies for the fYNOP Site. It is styled after USEPA guidance for RCRA and CERCLA sites, and is titled Part 1 because we are still collecting data for the remedial investigation and have not completed the groundwater risk assessment. While we understand it probably has no official place in the PADEP Act 2 program, and may be premature with respect to USEPA submittals, we would appreciate regulatory review and comment to the extent possible. By presenting this document now, we intend to significantly focus Part 2 of the remedial alternative analysis to just a few alternatives. At this time it would be helpful to us if you would review technologies that we have screened out and retained; and our recommendations for Part 2. If there is a technology or a concept that you feel requires additional consideration, it would be useful to be aware of that at this time.

If you would like hard copies of this document, please let me know how many and I will provide them.



GROUNDWATER SCIENCES CORPORATION

Stephen M. Snyder, P.G.
Senior Associate

2601 Market Place Street, Suite 310

Harrisburg, PA 17110

Office: (717) 901-8187

Fax: (717) 657-1611

Cell: (717) 579-8443

ssnyder@groundwatersciences.com

www.groundwatersciences.com

CONFIDENTIALITY NOTICE: This e-mail message, including attachments, is for the sole use of the intended recipient and may contain confidential, proprietary, and/or privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not an intended recipient or you have received this e-mail in error, please contact the sender by reply e-mail and destroy all copies of the original message.